5

B.Sc I Yr CHEMISTRY SEMESTER WISE SYLLABUS SEMESTER II Paper – II Chemistry – II

Unit-I (Inorganic Chemistry) S2-I-1 P-block Elements -II

Oxides: Types of oxides (a) Normal- acidic, basic amphoteric and neutral (b) Mixed (c) sub oxide d) peroxide e) superoxide. Structure of oxides of C, N, P, S and Cl - reactivity, thermal stability, hydrolysis.

Oxy acids: Structure and acidic nature of oxyacids of B, C, N, P, S, Cl and I. Redox properties of oxyacids of Nitrogen: HNO₂ (reaction with FeSO₄, KMnO₄, K₂Cr₂O₇), HNO₃ (reaction with H₂S, Cu), HNO₄ (reaction with KBr, Aniline), H₂N₂O₂ (reaction with KMnO₄). Redox properties of oxyacids of Phosphorus: H₃PO₂ (reaction with HgCl₂), H₃PO₃ (reaction with AgNO₃, CuSO₄). Redox properties of oxyacids of Sulphur: H₂SO₃ (reaction with KMnO₄, K₂Cr₂O₇), H₂SO₄ (reaction with Zn, Fe, Cu), H₂S₂O₃ (reaction with Cu, Au), H₂SO₅ (reaction with KI, FeSO₄), H₂S₂O₈ (reaction with FeSO₄, KI). Redox properties of oxy acids of Chlorine.

Interhalogens- Classification- general preparation- structures of AB, AB₃, AB₅ and AB₇ type and reactivity.

Poly halides- Definition and structure of ICl_2^- , ICl_4^- and I_3 . **Pseudohalogens**: Comparison with halogens.

S2-I-2: Chemistry of Zero group elements

Isolation of noble gases, Structure, bonding and reactivity of Xenon compounds – Oxides, Halides and Oxy-halides. Clatherate compounds and Anomalous behavior of He (II)

S2-I-3: Chemistry of d-block elements

Characteristics of d-block elements with special reference to electronic configuration, variable valence, ability to form complexes, magnetic properties &catalytic properties. Stability of various oxidation states and standard reduction potentials. Comparative treatment of second and third transition series with their 3d analogues. Study of Ti, Cr and Cu traids. Titanium triad – electronic configuration and reactivity of +3 and +4 states – oxides and halides. Chromium triad – reactivity of +3 and +6 states. Copper triad – reactivity of +1, +2 and +3 states.

Unit - II (Organic Chemistry)

S2-O-1: Halogen compounds

Classification: alkyl (primary, secondary, tertiary), aryl, aralkyl, allyl, vinyl, benzyl. Chemical reactivity - reduction, formation of RMgX, Nucleophilic substitution reactions – classification into S_N1 and S_N2 . Mechanism and energy profile diagrams of S_N1 and S_N2 reactions. Stereochemistry of S_N2 (Walden Inversion) 2-bromobutane, S_N1 (Racemisation) 1-bromo-1-phenylpropane Structure and reactivity – Ease of hydrolysis - comparison of alkyl, vinyl, allyl, aryl, and benzyl halides.

15 h (1 hr/week)

7 h

6 h

15h(1 hr/week)

4 h

2 h

S2-O-2: Hydroxy compounds and ethers

Alcohols: Preaparation: 1°, 2° and 3° alcohols using Griganard reagent, Reduction of Carbonyl compounds, carboxylic acids and esters. Physical properties: H-bonding, Boiling point and Solubility. Reactions with Sodium, HX/ZnCl₂ (Lucas reagent), esterification, oxidation with PCC, alk. KMnO₄, acidic dichromates, conc. HNO₃ and Oppenauer oxidation (Mechanism).

Phenols: Preapartion: (i) from diazonium salts of anilines, (ii) from benzene sulphonic acids and (iii) Cumene hydroperoxide .

Properties: Acidic nature, formation of phenoxide and reaction with R-X, electrophilic substitution; halogenations, Riemer Tiemann reaction (Mechanism), Kolbe reaction (Mechanism), Gattermann-Koch reaction, Azo-coupling reaction, Schotton-Boumann raction, Houben-Hoesch condensation, .

Ethers: Nomenclature, preparation by (a) Williamson's synthesis (b) from alkenes by the action of conc. H₂SO₄. Physical properties – Absence of Hydrogen bonding, insoluble in water, low boiling point. Chemical properties – inert nature, action of conc. H₂SO₄ and HI.

S2-O-3 Carbonyl compounds

Preparation of aldehydes & ketones from acid chloride, 1,3-dithianes, nitriles and from carboxylic acids. Special methods of preparing aromatic aldehydes and ketones by (a) Oxidation of arenes (b) Hydrolysis of benzal halides Physical properties – absence of Hydrogen bonding. Reactivity of the carbonyl groups in aldehydes and ketones. Chemical reactivity: Addition of (a) NaHSO₃ (b) HCN (c) RMgX (d) NH₃ (e) RNH₂ (f) NH₂OH (g) PhNHNH₂ (h) 2,4-DNP (Schiff bases). Addition of H₂O to form hydrate, chloral hydrate (stable), addition of alcohols - hemi acetal and acetal formation. Cannizaro reaction. Oxidation reactions - KMnO₄ oxidation and auto oxidation, reduction - catalytic hydrogenation, mechanism of Clemmenson's reduction, Wolfkishner reduction, Meerwein Pondoff Verly reduction. Reduction with LAH, NaBH₄.

Unit - III (Physical Chemistry)

S2-P-1: Electrochemistry

Electrical transport – conduction in metals and in electrolyte solutions, specific conductance and equivalent conductance, measurement of equivalent conductance, variation of specific and equivalent conductance with dilution. Migration of ions and Kholrausch's law, Arrhenius theory of electrolyte dissociation and its limitations, weak and strong electrolytes, Ostwald's dilution law - its uses and limitations. Debye-Huckel-Onsagar's equation for strong electrolytes (elementary treatment only). Transport number, definition and determination by Hittorf's method for attackable electrodes. Applications of conductivity measurements: Determination of degree of dissociation, determination of Ka of acids, determination of solubility product of a sparingly soluble salt, conductometric titrations.

Electrolytic and Galvanic cells – reversible and irreversible cells, conventional representation of electrochemical cells. Electro motive force (EMF) of a cell and its measurement. Computation of EMF. Types of reversible electrodes- the gas electrode, metal-metal ion, metal-insoluble

15h(1 hr/week)

5 h

15 h

salt and redox electrodes. Electrode reactions, Nernst equation, cell EMF and Single electrode potential, Standard Hydrogen electrode – reference electrodes (calomel electrode) – standard electrode potential, sign conventions, electrochemical series and its significance.

Applications of EMF measurements. Calculation of thermodynamic quantities of cell reactions (Gibbs free energy G, Helmholtz free energy and Equilibrium constant K). Determination of pH using hydrogen electrode, glass electrode and quinhydrone electrode. Solubility product of AgCl. Potentiometric titrations.

Unit – IV (General Chemistry)

S2-G-1: Theory of Quantitative Analysis

Volumetric Analysis: Introduction, standard solutions, indicators, end point, titration curves, Types of titrations: i) neutralization titration- principle, theory of acid base indicators, titration curves and selection of indicators- strong acid - strong base, strong acid -weak base, weak acid-strong base and weak acid -weak base. Theory of redox titrations - internal(KMnO4) and external indicators - use of diphenylamine and ferroin indicators. Theory of complexometric titrations - use of EBT, Murexide and Fast sulphone black indicators. Role of pH in complexometric titrations. Precipitation titrations - theory of adsorption indicators.

Gravimetric analysis- Introduction, nucleation, precipitation, growth of precipitate, filtration and washing, drying and incineration of precipitate, coprecipitation and post precipitation. Determination of Ni^{2+}

S2-G-2: Stereoisomerism

Optical activity: Definition, wave nature of light, plane polarised light, optical rotation and specific rotation, chiral centers. Chiral molecules: definition and criteria - absence of plane, center and S_n axis of symmetry – asymmetric and dissymmetric molecules. Examples of asymmetric molecules (Glyceraldehyde, Lactic acid, Alanine) and disymmetric molecules (trans-1,2-dichlorocyclopropane). Molecules with constitutionally symmetrical chiral carbons (Tartaric acid) Molecules with constitutionally unsymmetrical chiral carbons (2,3dibromopentane). D, L configuration – examples. R, S – configuration: Cahn-Ingold-Prelog rules, examples for asymmetric and disymmetric molecules.

S2-G-3: Dilute Solutions & Colligative Properties

Dilute Solutions, Colligative Properties, Raoult's law, relative lowering of vapour pressure, molecular weight determination. Osmosis - laws of osmotic pressure, its measurement, determination of molecular weight from osmotic pressure. Elevation of boiling point and depression of freezing point. Derivation of relation between molecular weight and elevation in boiling point and depression in freezing point.

5 h

4 h

6 h

15 h (1 hr/week)